

Non-Woven

CONVEYOR BELTS & CUTTING UNDERLAYS

20
24



Production of conveyor belts & cutting underlays


CUT & Movement
for cutters




gw'systems

WORK WITH **PASSION** FOR CUTTING ROOM
for conveyor systems & static tables


ARISTO




ATOM




AXYZ




BALACCHI




BULLMER




COLEX




COMAGRAV




COMELZ




DYSS




ECOCAM



ELITRON




FILIZ




IECHO




JWEI




KIMLA




KURIS



KONGSBERG




LASERCOMB



LECTRA



MÉCANUMÉRIC



MIMAKI



MORGAN TECNICA




MULTICAM




CTI-RAPTOR



SMRE




SUMMA



TESEO




ZÜND



CUTTING UNDERLAYS FOR PLOTTERS & CUTTERS for static tables

G30-SI




Thickness: 3 mm
Colour: Grey
Diemensions Any
Destiny: Static table
Density: Semi-Hard
SUPER Non-Slip



SUPER Non-Slip


G30-B




Thickness: 3 mm
Colour: Grey
Diemensions Any
Destiny: Static table
Density: Medium




G30-Z




Thickness: 3 mm , 4mm
Colour: Black
Diemensions Any
Destiny: Static table
Density: Medium



G25-SL




Thickness: 2,5 mm
Colour: Grey
Diemensions Any
Destiny: Static table
Density: Medium




CUTTING UNDERLAYS FOR PLOTTERS & CUTTERS for static tables


G40-N



Thickness: 4 mm
Colour: Blue
Diemensions Any
Destiny: Static table
Density: Medium




G40-N



Thickness: 4 mm , 3 mm
Colour: Green
Diemensions Any
Destiny: Static table
Density: Medium




G40-S



Thickness: 4 mm
Colour: Beige
Diemensions Any
Destiny: Static table
Density: Hard



G40-S



Thickness: 4 mm
Colour: Green
Diemensions Any
Destiny: Static table
Density: Hard



CONVEYOR BELTS FOR PLOTTERS & CUTTERS for conveyor systems

G25-HC




Thickness: 2,6 mm
Colour: Grey
Diemensions Any
Destiny: Conveyor system



G25-NA



Thickness: 2,6 mm
Colour: Green
Diemensions Any
Destiny: Conveyor system



G25-W



Thickness: 2,5 mm
Colour: White
Diemensions Any
Destiny: Conveyor system

NEW



G25-W



Thickness: 2,5 mm
Colour: Beige
Diemensions Any
Destiny: Conveyor system




CONVEYOR BELTS FOR PLOTTERS & CUTTERS for conveyor systems

G40-HC



Thickness: 4 mm
Colour: Grey
Dimensions: Any
Destiny: Conveyor system



G40-NA



Thickness: 4 mm
Colour: Green
Dimensions: Any
Destiny: Conveyor system



G60-HC



Thickness: 5,6 mm
Colour: Grey
Dimensions: Any
Destiny: Conveyor system



G60-NA



Thickness: 5,6 mm
Colour: Green
Dimensions: Any
Destiny: Conveyor system



SPECIAL MILLING UNDERLAY FOR ROUTING


G20-S

Thickness: 2 mm
Colour: Light gray
Diemensions max 1,5m x 100m
Density: Soft



G10-V (Vilmill)

Thickness: 0,4 mm
Colour: White
Diemensions max 1,5m x 100m
Destiny: Static table



G10-VX

Thickness: 0,5 mm
Colour: White
Diemensions max 1,5m x 100m
Destiny: Static table

NEW



G30-SI

Thickness: 3 mm
Colour: Grey
Diemensions Any
Destiny: Static table
Density: **Semi-Hard**
SUPER Non-Slip

NEW

Underlay mat has a sticky surface, enhancing its grip.

SUPER Non-Slip




G-03PZ

Puzzle



G-01TA

Tangential connection
(linear)











G-04ZP

ZIP-Lock











CUTTING UNDERLAYS FOR PLOTTERS & CUTTERS for static tables

Product	G30-SI	G30-B	G30-Z	G25-SL	G40-N	G40-N	G40-Z	G40-S
Thickness	3mm	3mm	3mm	2.5mm	4mm	3mm, 4mm	4mm	4mm
Colour								
Aristo	✓	✓	✓	✓	✓	✓	✓	✓
Atom	✓	✓	✓	✓	✓	✓	✓	✓
Axyz	✓	✓	✓	✓	✓	✓	✓	✓
Balacchi	✓	✓	✓	✓	✓	✓	✓	✓
Bullmer								
Colex	✓	✓	✓	✓	✓	✓	✓	✓
Comagrav	✓	✓	✓	✓	✓	✓	✓	✓
Comelz						✓		
Dyss	✓	✓	✓	✓	✓	✓	✓	✓
Ecocam	✓	✓	✓	✓	✓	✓	✓	✓
Elitron	✓	✓	✓	✓	✓	✓	✓	✓
Filiz	✓	✓	✓	✓	✓	✓	✓	✓
Iecho								
Jwei	✓	✓	✓	✓	✓	✓	✓	✓
Kimla	✓	✓	✓	✓	✓	✓	✓	✓
Kuris								
Kongsberg	✓	✓	✓	✓	✓	✓	✓	✓
Lasercomb	✓	✓	✓	✓	✓	✓	✓	✓
Lectra								
Mecanumeric	✓	✓	✓	✓	✓	✓	✓	✓
Mimaki	✓	✓	✓	✓	✓	✓	✓	✓
Morgan Technica								
Multicam	✓	✓	✓	✓	✓	✓	✓	✓
Cutting Trading								
Smre	✓	✓	✓	✓	✓	✓	✓	✓
Summa								
Teseo					✓			
Zund	✓	✓	✓	✓	✓	✓	✓	✓

CONVEYOR BELTS FOR PLOTTERS & CUTTERS

for conveyor systems

Product	G25-HC	G25-NA	G25-W	G25-W	G40-HC	G40-NA	G60-HC	G60-NA
Thickness	2,6mm	2,6mm	2,5mm	2,5mm	4mm	4mm	5,6mm	5,6mm
Colour			 NEW					
Aristo	✓	✓	✓	✓	✓	✓		
Atom	✓	✓	✓	✓	✓	✓		
Axyz								
Balacchi	✓	✓	✓	✓	✓	✓		
Bullmer					✓	✓	✓	✓
Colex	✓	✓	✓	✓	✓	✓		
Comagrav	✓	✓	✓	✓	✓	✓		
Comelz		✓				✓		
Dyss	✓	✓	✓	✓	✓	✓		
Ecocam	✓	✓	✓	✓	✓	✓		
Elitron	✓	✓	✓	✓	✓	✓		
Filiz	✓	✓	✓	✓	✓	✓		
Iecho	✓	✓	✓	✓	✓	✓		
Jwei	✓	✓	✓	✓	✓	✓		
Kimla	✓	✓	✓	✓	✓	✓		
Kuris							✓	✓
Kongsberg	✓	✓	✓	✓	✓	✓		
Lasercomb								
Lectra	✓	✓	✓	✓	✓	✓		
Mecanumeric								
Mimaki								
Morgan Technica	✓	✓	✓	✓	✓	✓		
Multicam	✓	✓	✓	✓	✓	✓		
Cutting Trading	✓	✓	✓	✓	✓	✓		
Smre	✓	✓	✓	✓	✓	✓		
Summa	✓	✓	✓	✓	✓	✓		
Teseo								
Zund	✓	✓	✓	✓	✓	✓		

SPECIAL MILLING UNDERLAY FOR ROUTING

Product	G20-S	G10-V Vilmill	G10-VX	G30-SI
Thickness	2mm	0,4mm	0,5mm	3mm
Colour				
Aristo	✓	✓	✓	✓
Atom	✓	✓	✓	✓
Axyz	✓	✓	✓	✓
Balacchi	✓	✓	✓	✓
Bullmer				
Colex	✓	✓	✓	✓
Comagrav	✓	✓	✓	✓
Comelz				
Dyss	✓	✓	✓	✓
Ecocam	✓	✓	✓	✓
Elitron	✓	✓	✓	✓
Filiz	✓	✓	✓	✓
Iecho	✓	✓	✓	✓
Jwei	✓	✓	✓	✓
Kimla	✓	✓	✓	✓
Kuris				
Kongsberg	✓	✓	✓	✓
Lasercomb	✓	✓	✓	✓
Lectra				
Mecanumeric	✓	✓	✓	✓
Mimaki	✓	✓	✓	✓
Morgan Technica				
Multicam	✓	✓	✓	✓
Cutting Trading				
Smre	✓	✓	✓	✓
Summa	✓	✓	✓	✓
Teseo				
Zund	✓	✓	✓	✓

CUT & Movement *for cutters*



Conveyors belts - *directly from
the manufacturer*



ATZ-Motion
Unit 3, Orchard Business Estate
Cockaynes Ln, Arlesford,
Colchester CO7 8BZ

email: adrian@atz-motion.co.uk

web: www.atz-motion.co.uk

Telephone:

UK: +44 7706690595

PL: +48 731016334

gw'systems \

SUPERLine \

LongLife C

PremiumLine \